

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of)	Attorney Docket No.: SUGI0166
)	
Tadahiro OHMI et al.)	Confirmation No.: 9535
)	
Serial No.: 10/597,343)	Group Art Unit: 3753
)	
Filed: July 20, 2006)	Examiner: William M. McCallister
)	
For: METHOD FOR WATER)	Date: January 22, 2009
HAMMERLESS OPENING OF FLUID)	
PASSAGE, AND METHOD FOR)	
SUPPLYING CHEMICAL)	
SOLUTIONS AND DEVICE FOR)	
WATER HAMMERLESS OPENING)	
FOR WHICH THE METHOD IS)	
USED)	

REQUEST FOR CORRECTED OFFICIAL FILING RECEIPT

**ATTN: Office of Initial Patent Examination's
Filing Receipt Corrections**
U.S. Patent and Trademark Office
Customer Service Window
Randolph Building
401 Dulany Street
Alexandria, VA 22314

Sir:

An error was noted upon review of the Official Filing Receipt, and, accordingly it is respectfully requested that a corrected Official Filing Receipt be promptly forwarded to the undersigned attorney for applicant(s). Attached is a marked up filing receipt to show the corrections that are needed.

In the Applicant(s) section:

Please delete "MIyagi" and insert therefore --Miyagi --;


In the Assignment section:

Please insert therefore --Tadahiro OHMI, Miyagi, JAPAN--

It is believed that no fee is required with the filing of this paper, however, should the filing of this paper necessitate a fee, the Director is hereby authorized to charge the necessary fee to Deposit Account No. 50-1281.

Respectfully submitted,

GRIFFIN & SZIPL, P.C.



Joerg-Uwe Szips
Registration No. 31,799

GRIFFIN & SZIPL, P.C.
Suite PH-1
2300 Ninth Street, South
Arlington, VA 22204

Telephone: (703) 979-5700
Facsimile: (703) 979-7429
Email: gands@szipl.com
Customer No.: 24203